

OK

[This question paper contains 4 printed pages.]

Your Roll No.....

Sr. No. of Question Paper : 515

B

Unique Paper Code : 62351201

Name of the Paper : Algebra

Name of the Course : B.A. (Prog.)

Semester : II

Duration : 3 Hours

Maximum Marks : 75

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt any two parts from each question.
3. All questions carry equal marks.

1. (a) Define subspace of a vector space. Show that the set $W = \{(a_1, a_2, a_3) : a_1 - 2a_2 + a_3 = 0; a_1, a_2, a_3 \in \mathbb{R}\}$ is a subspace of the vector space $\mathbb{R}^3(\mathbb{R})$.

(b) Express the vector $v = (4, 5)$ as a linear combination of the vectors $v_1 = (2, 1)$, $v_2 = (1, 2)$. Is the set $S = \{v, v_1, v_2\}$ linearly dependent or linearly independent?

P.T.O.

(c) Define basis and dimension of a vector space. Do the vectors $\{(1, -1, 2), (-1, 2, -4), (-1, -1, 2)\}$ in \mathbb{R}^3 form a basis of $V = \mathbb{R}^3(\mathbb{R})$. What is $\dim(V)$?

2. (a) Find the rank of the following matrix

$$\begin{bmatrix} 1 & 1 & 0 & -2 \\ 2 & 0 & 2 & 2 \\ 4 & 1 & 3 & 1 \end{bmatrix}.$$

(b) Solve the following system of equations :

$$x + y + z = 2$$

$$x + 2y + 3z = 5$$

$$x + 3y + 6z = 11$$

(c) Show that the following matrix satisfies its characteristic equation :

$$\begin{bmatrix} 0 & 1 & 2 \\ 1 & 2 & 3 \\ 3 & 1 & 1 \end{bmatrix}$$

3. (a) If $\cos\theta + 2\cos\phi + 3\cos\psi = \sin\theta + 2\sin\phi + 3\sin\psi = 0$, Prove that

$$\cos 3\theta + 8 \cos 3\phi + 27 \cos 3\psi = 18 \cos(\theta + \phi + \psi),$$

$$\text{and } \sin 3\theta + 8 \sin 3\phi + 27 \sin 3\psi = 18 \sin(\theta + \phi + \psi).$$

(b) Prove that

$$64 \cos^7 \theta = \cos 7\theta + 7 \cos 5\theta + 21 \cos 3\theta + 35 \cos \theta.$$

(c) Solve the equation

$$z^5 + z^4 + z^3 + z^2 + z + 1 = 0.$$

4. (a) Find the sum of the cubes of the roots of the equation $x^3 + 6x^2 + 11x - 6 = 0$.

(b) Solve the equation

$$3x^4 - 25x^3 + 50x^2 - 50x + 12 = 0,$$

such that the product of two of the roots being 2.

- (c) Solve the equation $x^3 - 9x^2 + 23x - 15 = 0$, being given that the roots are in A.P.

5. (a) If G is the set of all non-zero rational numbers

with binary operation $*$ defined by $a * b = \frac{ab}{3}$,

$a, b \in G$. Then prove that $(G, *)$ is an Abelian group.

(b) Let $G = \left\{ \begin{bmatrix} a & a \\ a & a \end{bmatrix} : a \in \mathbb{R}, a \neq 0 \right\}$. Show that G is a group under matrix multiplication.

(c) If $\sigma = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 4 & 5 & 1 & 3 \end{pmatrix}$ and $\rho = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 1 & 4 & 3 & 5 \end{pmatrix}$ are two permutations, Compute the values of $\sigma^{-1}\rho\sigma$ and $\rho^2\sigma$.

6. (a) Prove that the set of all matrices of the form

$\left\{ \begin{bmatrix} a & 0 \\ 0 & b \end{bmatrix} : a, b \in \mathbb{Z} \right\}$ is a subring of the ring of all 2×2 matrices over \mathbb{Z} .

(b) If A & B are subrings of a ring R . Then $A \cap B$ is also a subring of ring R .

(c) Prove that the set $S = \left\{ g \in C[0,1] : g\left(\frac{1}{2}\right) = 0 \right\}$ is a subring of $C[0,1]$.